


Latin name	<i>Viburnum dentatum</i> var. <i>dentatum</i>		Common name	Southern Arrowwood Viburnum
cultivar			Family	Adoxaceae/Caprifoliaceae
Year introduced	Native range Kentucky south to Florida and Texas			
Developed by				
Patent #/ information				
parentage				
Location	Maxwell Arboretum Viburnum Collection, ID No. 12763		Quantity	3
Source/date	Planting size		Planting date 5/5/1992	
Culture				
Sun/shade	full sun to part shade	Soil	Drainage well drained	
Fertility	Moisture requirements			
Plant characteristics				
Height x Spread	Form			
Flower				
Color	white	Size		
Flower Form	Bloom time			
Leaf color	fall color			
Leaf size	Leaf texture			
Leaf form	simple, crenate dentation	Leaf shape oval, ovate		
Fruit color	Fruit type			
Fruit time	Fruit size			
Persistency	Fruit wildlife use			
Bark/stem color	reddish brown			
Bark/stem texture				
Twig				
Bud				
Maintenance				



Pruning
Wildlife Use
Native use



Historical/cultural info

Folklore/Culture



Insect Problems
Disease Problems
Landscape Uses

Notes

Previously called in the Maxwell Viburnum Collection: *Viburnum semitomentosum*, Roughleaf Viburnum

1 www.illinoiswildflowers.info
2 The Dow Gardens Archive, Dow Gardens, Bugwood.org
4 © Copyright Bobby Hattaway 2011 · 4
5 © Copyright Sheryl Pollock 2011 · 7
line drawing: Britton, N.L., and A. Brown. 1913. An illustrated flora of the northern United States, Canada and the British Possessions. 3 vols. Charles Scribner's Sons, New York. Vol. 3: 271.
Herbarium sheets: Plant Information Center, University of North Carolina, http://www.ibiblio.org/pic/Tree_pages/Viburnum_dentatum_var_dentatum.htm

