Latin name	Viburnum lantana	Common name Wayfaringtree Viburnum	
cultivar	'Mohican'	Family Adoxaceae/Caprifoliaceae	
Year introduced Developed by Patent #/ information	Native range species: central, southern, western Europe (to Yorkshire in England), NW Africa, SW Asia Donald Egolf, U.S. National Arboretum		
parentage			
Location Source/date	Maxwell Arboretum Viburnum Collection, ID Notes to bare root from cooler Planting	No. 1438 Quantity 1 ng size 18"-24" Planting date spring 1991	
Culture Sun/shade Fertility	adaptable full sun (best) to part shade Soil pH of 6.0-7.0 Drainage well-drained Moisture requirements		
Plant characteristics Height x Spread	6.5' × 8' Form upright >	- spreading	
Flower	usually 250–350 per inflorescence		
Color Flower Form	creamy white Size cyme Bloom time May		
Leaf color	dark green fall color		
Leaf size	3.5-4" × 1.75 × 2.25" Leaf texture pubescent		
Leaf form	Leaf shape		
Fruit color Fruit time	orange-red > black	Fruit type drupe	
	l	Fruit size	
Bark/stem color			
Bark/stem texture			
Twig			
Bud			
Maintenance			











Duvina	
Pruning	
Wildlife Use	
Native use	
Historical/cultural info	
Folklore/Culture	
Insect Problems	vanistanas ta hastavial lasf anat
Diesease Problems	resistance to bacterial leaf spot.
Landscape Uses	Specimen, hedge, screen, massing, shrub border, foundation planting for large buildings
Notes	http://www.usna.usda.gov/Newintro/mohican.pdf
	"'Mohican' is a superior seedling selection made by Donald R. Egolf from a population of 87 plants grown from seed obtained from Poland. The plant first flowered in 1952, was selected as superior
	in 1956, and was named and released October 25, 1966."U.S. National Arboretum
	"Very ornamental in that all fruit colors can be seen in the same fruit cluster at one time. Fruit
	remains in the orange-red stage for 3 weeks or longer. "Classic Viburnums
	Images: 4 © Susan Ladman
	7 Wilson Nurseries all others © Emily Levine





